

产品名称: ON123300

产品别名: ON123300

生物活性:																														
Description	<p>ON123300 is a potent inhibitor of CDK4, with an IC₅₀ of 3.8 nM, with little inhibitory activity against CDKs 1,2,5 and 8. IC₅₀ value: 3.8 nM [1] Target: CDK4 in vitro: ON123300 is a novel kinase inhibitor, inhibits CDK4/6 and PI3K-δ and exhibits potent activity against mantle cell lymphomas (MCLs). [1] ON123300 is a low molecular weight multi-kinase inhibitor identified through a series of screens that supported further analyses for brain tumor chemotherapy. Biochemical assays indicated ON123300 was a strong inhibitor of Ark5 and CDK4 as well as growth factor receptor tyrosine kinases such as Beta-type platelet-derived growth factor receptor [PDGFRβ]. ON123300 inhibited U87 glioma cell proliferation with an IC₅₀ = 3.4 ± 0.1 μM and reduced phosphorylation of Akt, yet it also unexpectedly induced Erk activation; both in a dose- and time-dependent manner that subsequently was attributed to relieving Akt-mediated C-Raf S259 inactivation and activating a p70S6K initiated PI3K negative feedback loop. [3]</p>																													
IC₅₀ & Target	Cdk4/cyclin D1	CDK6/cyclinD1	ARK5	FGFR1	PDGFRβ	PI3K-δ																								
	3.87 nM (IC ₅₀)	9.82 nM (IC ₅₀)	4.95 nM (IC ₅₀)	26 nM (IC ₅₀)	26 nM (IC ₅₀)	144 nM (IC ₅₀)																								
Solvent&Solubility	<p>In Vitro: DMSO : 16.67 mg/mL (38.81 mM); ultrasonic and warming and heat to 60°C)</p> <table border="1"> <thead> <tr> <th rowspan="2">Preparing</th> <th>Solvent</th> <th>Mass</th> <th rowspan="2">1 mg</th> <th rowspan="2">5 mg</th> <th rowspan="2">10 mg</th> </tr> <tr> <th>Concentration</th> <th></th> </tr> </thead> <tbody> <tr> <td rowspan="3">Stock Solutions</td> <td>1 mM</td> <td></td> <td>2.3282 mL</td> <td>11.6409 mL</td> <td>23.2818 mL</td> </tr> <tr> <td>5 mM</td> <td></td> <td>0.4656 mL</td> <td>2.3282 mL</td> <td>4.6564 mL</td> </tr> <tr> <td>10 mM</td> <td></td> <td>0.2328 mL</td> <td>1.1641 mL</td> <td>2.3282 mL</td> </tr> </tbody> </table> <p>*请根据产品在不同溶剂中的溶解度选择合适的溶剂配制储备液; 一旦配成溶液, 请分装保存, 避免反复冻融造成的产品失效。 储备液的保存方式和期限 -80°C, 6 months; -20°C, 1 month。 -80°C 储存时, 请在 6 个月内使用, -20°C 储存时, 请在 1 个月内使用。</p>						Preparing	Solvent	Mass	1 mg	5 mg	10 mg	Concentration		Stock Solutions	1 mM		2.3282 mL	11.6409 mL	23.2818 mL	5 mM		0.4656 mL	2.3282 mL	4.6564 mL	10 mM		0.2328 mL	1.1641 mL	2.3282 mL
Preparing	Solvent	Mass	1 mg	5 mg	10 mg																									
	Concentration																													
Stock Solutions	1 mM		2.3282 mL	11.6409 mL	23.2818 mL																									
	5 mM		0.4656 mL	2.3282 mL	4.6564 mL																									
	10 mM		0.2328 mL	1.1641 mL	2.3282 mL																									
References	<p>[1]. Divakar SK, et al. Dual inhibition of CDK4/Rb and PI3K/AKT/mTOR pathways by ON123300 induces synthetic lethality in mantle cell lymphomas. <i>Leukemia</i>. 2016 Jan;30(1):86-93.</p> <p>[2]. Perumal D, et al. Dual Targeting of CDK4 and ARK5 Using a Novel Kinase Inhibitor ON123300 Exerts Potent Anticancer Activity against Multiple Myeloma. <i>Cancer Res</i>. 2016 Mar 1;76(5):1225-36.</p> <p>[3]. Zhang X, et al. Preclinical pharmacological evaluation of a novel multiple kinase inhibitor, ON123300, in brain tumor models. <i>Mol Cancer Ther</i>. 2014 May;13(5):1105-16.</p>																													