

产品名称：马来酸罗托沙敏

产品别名：Carbinoxamine maleate salt

生物活性:					
Description	Carbinoxamine maleate salt is a histamine H1 receptor antagonist.				
Solvent&Solubility	<i>In Vitro:</i> H ₂ O : ≥ 160 mg/mL (393.26 mM) * "≥" means soluble, but saturation unknown.				
		Solvent Mass Concentration	1 mg	5 mg	10 mg
	Preparing	1 mM	2.4578 mL	12.2892 mL	24.5785 mL
	Stock Solutions	5 mM	0.4916 mL	2.4578 mL	4.9157 mL
		10 mM	0.2458 mL	1.2289 mL	2.4578 mL
*请根据产品在不同溶剂中的溶解度选择合适的溶剂配制储备液。一旦配成溶液，请分装保存，避免反复冻融造成的产品失效。 储备液的保存方式和期限：-80°C, 6 months; -20°C, 1 month。-80°C 储存时，请在 6 个月内使用，-20°C 储存时，请在 1 个月内使用。					
References	[1]. Harikrishnan A, et al. The cooperative effect of Lewis pairs in the Friedel-Crafts hydroxyalkylation reaction: a simple and effective route for the synthesis of (±)-carbinoxamine. Org Biomol Chem. 2015 Mar 28;13(12):3633-47.				

源叶生物